

Attorney's Docket No. K&A 23-0267  
Client's Docket No. 13406

**APPLICATION**

**FOR UNITED STATES LETTERS PATENT**

----

**SPECIFICATION**

TO ALL WHOM IT MAY CONCERN:

BE IT KNOWN THAT I, **DENISE ROBINSON**, a citizen of  
UNITED STATES OF AMERICA, have invented a new and useful  
**EYEBROW SHAPING DEVICE** of which the following is a  
specification:

# EYEBROW SHAPING DEVICE

5

## BACKGROUND OF THE INVENTION

### Field of the Invention

10

The present invention relates to eyebrow stencils and more particularly pertains to a new eyebrow shaping device for shaping eyebrows easily and in a consistent form.

### 15 Description of the Prior Art

The use of eyebrow grooming devices is known in the prior art. Such prior art includes: U.S. Patent No. 4,942,891; U.S. Patent No. 2,917,058; and U.S. Patent No. 2,842,142 .

20

While these devices fulfill their respective, particular objectives and requirements, the need remains for a system and method creates uniform shaping of the eyebrows and does not require tweezing.

25

## SUMMARY OF THE INVENTION

The present invention meets the needs presented above by  
30 providing a plurality of templates which may be applied by the user, maintained in position for a predetermined interval and

removed, whereby unwanted hair is removed and the eyebrow is groomed to the shape of the template.

Another object of the present invention is to provide a new  
5 eyebrow shaping device that facilitates quick and efficient grooming of the user's eyebrows.

Still another object of the present invention is to provide a new eyebrow shaping device that can facilitate complex shaping of  
10 the user's eyebrows.

Even still another object of the present invention is to provide a new eyebrow shaping system which accommodates a wide variety of shapes and sizes.

15 There has thus been outlined, rather broadly, the more important features of the invention in order that the detailed description thereof that follows may be better understood, and in order that the present contribution to the art may be better appreciated. There are additional features of the invention that  
20 will be described hereinafter and which will form the subject matter of the claims appended hereto.

The objects of the invention, along with the various features  
25 of novelty which characterize the invention, are pointed out with particularity in the claims annexed to and forming a part of this disclosure.

#### **BRIEF DESCRIPTION OF THE DRAWINGS**

30 The invention will be better understood and objects other than those set forth above will become apparent when consideration is

given to the following detailed description thereof. Such description makes reference to the annexed drawings wherein:

Figure 1 is a schematic top perspective view of a new eyebrow shaping device being removed according to the present invention.

5        Figure 2 is a schematic front view of the present invention being applied.

Figure 3 is a schematic front view of the present invention.

Figure 4 is a schematic perspective bottom view of the present invention.

10       Figure 5 is a schematic perspective view of the present invention with the protective portion partially removed.

#### **DESCRIPTION OF THE PREFERRED EMBODIMENT**

With reference now to the drawings, and in particular to  
15   Figures 1 through 3 thereof, a new eyebrow shaping device embodying the principles and concepts of the present invention will be described.

As best illustrated in Figures 1 through 3, the eyebrow  
20   shaping device generally comprises a plurality of pairs of forms 20. Each pair of forms 20 having a right and a left member. Each one of said plurality of pairs having a uniquely associated brow shape defining a size and overall form for the eyebrows of the user.

25       In a preferred embodiment each one of said right and left members has a template portion 22, a substrate portion 24, and a protective portion 24. The template portion 24 has a cut-out area 23 which defines the overall shape and form of the eyebrow after use. The template portion 22 also has a border area 25. The  
30   substrate portion 24 is positioned along a first surface of the boarder area 25. Preferable the substrate 24 is uniformly

distributed along the first surface. The protective portion 26 is releasably coupled to the substrate portion 24 and protects the substrate portion 24 until the template portion 22 is used.

5           In a further embodiment the substrate portion 24 is a waxing material which is adapted for bonding to the eyebrow hair 2 and allows the unwanted hair 4 to be pulled free of the user thereby shaping the eyebrow 2.

10           In an alternate embodiment the substrate portion 24 is a hair dissolving substance which dissolves the unwanted hair 4 of the eyebrow 2 after a predefined period of contact with the unwanted eyebrow hair.

15           In use, the user selects the pair of forms to be used according to size and general shape. The user then selects the appropriate member of the pair, right or left, to begin use.

          If a waxing substrate is used, then the user removes the  
20   protective portion from the substrate. The user then aligns and applies the member to the associated eyebrow. The user then rubs a second surface of the template portion applying pressure to the substrate facilitating bonding with the unwanted eyebrow hair. The user then abruptly removes the template from the eyebrow thereby  
25   pulling the unwanted hair free from the user and shaping the eyebrow. This process is then repeated using the second one of the pair of templates for the remaining eyebrow.

          If a hair dissolving substrate is used, then the user removes  
30   the protective portion from the substrate. The user then aligns and

applies the member to the associated eyebrow. The user then leaves the template in place against the eyebrow for a predetermined period of time allowing the substrate to dissolve the unwanted hair. Preferably, the predetermined time is 5 to 12 minutes. More  
5 preferably the predetermined time is 7 to 10 minutes. After the predetermined period has past the template is removed from around the eyebrow with the unwanted hair dissolved and the eyebrow shaped. This process is then repeated using the second one of the pair of templates for the remaining eyebrow.

10

With respect to the above description then, it is to be realized that the optimum dimensional relationships for the parts of the invention, to include variations in size, materials, shape, form, function and manner of operation, assembly and use, are deemed  
15 readily apparent and obvious to one skilled in the art, and all equivalent relationships to those illustrated in the drawings and described in the specification are intended to be encompassed by the present invention.

20

Therefore, the foregoing is considered as illustrative only of the principles of the invention. Further, since numerous modifications and changes will readily occur to those skilled in the art, it is not desired to limit the invention to the exact construction and operation shown and described, and accordingly, all suitable  
25 modifications and equivalents may be resorted to, falling within the scope of the invention.